

Part #	Description	Colour	Range	Notes
Oil Temp Electrical				
523-15	2" 50-150 °C	black	street	
524-21	2" 50-150 °C	silver	sports	
530-21	2" 40-150 °C	black	plasma	
Oil temp Mechanical				
533-15	2" 50-150 °C	black	street	6' capillary
524-15	2" 50-150 °C	silver	sports	
535-15	2 5/8" 40-170 °C	black	performance	
537-15	2 5/8" 40-170 °C	silver	pro	
Oil Pressure Electrical				
523-16	2" 100 psi	black	street	
524-20	2" 100 psi	silver	sports	
535-20	2 5/8" 100 psi	black	performance	
537-20	2 5/8" 100 psi	silver	pro	
530-20	2" 0-100 psi	black	plasma	
Oil Pressure Mechanical				
533-16	2" 0-100 psi	black	street	
524-16	2" 100 psi	silver	sports	
535-16	2 5/8" 100 psi	black	performance	6' capillary
535-17	2 5/8" 100 psi	black	performance	12' capillary
537-16	2 5/8" 100 psi	silver	pro	6' capillary
537-17	2 5/8" 100 psi	silver	pro	12' capillary
Water Temp Electircal				
523-23	2" 40-120 °C	black	street	
524-30	2" 40-120 °C	silver	sports	
535-30	2 5/8" 40-120 °C	black	performance	
537-30	2 5/8" 40-120 °C	silver	pro	
530-30	2" 40-150 °C	black	plasma	
Water Temp Mechanical				
533-23	2" 40-120 °C	black	street	6' capillary
533-23A	2" 40-120 °C	black	street	6' capillary + 4 adaptors
533-24	2" 12' Capillary	black	street	12' capillary
524-23	2" 40-120 °C	silver	sports	6' capillary
524-23A	2" 40-120 °C	silver	sports	6' capillary + 4 adaptors
524-24	2" 40-120 °C	silver	sports	12' capillary
535-23	2 5/8" 40-140° C	black	performance	6' capillary
535-23A	2 5/8" 40-140° C	black	performance	6' capillary + 4 adaptors

Part #	Description	Colour	Range	Notes
535-24	2 5/8" 12' Capillary	black	performance	12' capillary
535-24A	2 5/8" 12' Capillary	black	performance	12' capillary + 4 adaptors
537-23	2 5/8" 40-140 °C	silver	pro	6' capillary
537-23A	2 5/8" 40-140 °C	silver	pro	6' capillary + 4 adaptors
537-24	2 5/8" 12' Capillary	silver	pro	12' capillary
537-24A	2 5/8" 12' Capillary	silver	pro	12' capillary + 4 adaptors
Fuel Pressure Mechanical				
512-15	1 1/2" 15 psi	white		carby engines
512-20	1 1/2" 100 psi	white		EFI engines
512-16	1 1/2" 15 psi	white		carby engines, liquid filled
512-21	1 1/2" 100 psi	white		EFI engines. Liquid filled
524-07	2" 15 psi	silver	sports	
535-07	2 5/8" 0-15 psi	black	performance	
537-07	2 5/8" 0-15 psi	silver	pro	
Fuel Level (litres)				
523-06	2" with sender	black	street	
524-06	2" with sender	silver	sports	
535-06	2 5/8" with sender	black	performance	
537-06	2 5/8" with sender	silver	pro	
545-40	Sender only			
Air/Fuel Ratio				
530-40	2"	black	plasma	
524-40	2"	silver	sports	
Pyrometer / EGT (exhaust gas temp)				
525-00 C	2" 0 - 1400°C	silver	sports	3mtr. Thermocoupler & probe
525-00 C Black	2" 0 - 1400°C	black	street	3mtr. Thermocoupler & probe
Tachos				
523-20	2"	black	street	0 - 8,000 rpm
524-01	2"	silver	sports	0 - 8,000 rpm
530-01	2"	black	plasma	0 - 8,000 rpm
520-01	2 5/8"	black	performance	0 - 8,000 rpm
520-02	2 5/8"	silver	pro	0 - 8,000 rpm
520-03	2 5/8" suits 3cyl	silver	pro	0 - 8,000 rpm, 4 stroke
523-18	3 3/4" w/Shift Light	black		
523-19	3 3/4"	black	street-strip	
520-15	3 3/4" w/Shift Light	silver		
520-16	3 3/4"	silver	street-strip	

Part #	Description	Colour	Range	Notes
520-13	85mm	black		0 - 8,000 rpm
520-14	85mm	white		0 - 8,000 rpm
520-18	4" w/Shift Light	silver		
520-25	5" w/ External Shift Light	silver		
520-10	85mm Motor Cycle	silver		0 - 12,000 rpm
519-01	85mm Diesel	black		0 - 6,000 rpm
520-40	Shift Light only	silver		replacement
520-50	Shift Light adjustable	silver		
Speedos				
521-00	85 mm	black		0 - 200 km/h
520-00	85 mm	white		0 - 200 km/h
Hour Meter				
523-01	2" (12/24 volts)	black	street	
Ammeter				
523-51	2" 60-0-60 amps	black	street	
524-51	2" 60-0-60 amps	silver	sports	
535-51	2 5/8" 60-0-60 amps	black	performance	
537-51	2 5/8" 60-0-60 amps	silver	pro	
Voltmeter				
523-22	2" 8-16 volts	black	street	
524-22	2" 8-16 volts	silver	sports	
530-22	2" 8-16 volts	black	plasma	
535-22	2 5/8" 10-18 volts	black	performance	
537-22	2 5/8" 10-18 volts	silver	pro	
Vac/Boost				
533-03	2" 30 psi	black	street	
524-04	2" 30 psi	silver	sports	
530-02	2" 30psi	black	plasma	
535-03	2 5/8" 20 psi	black	performance	
535-04	2 5/8" 30 psi	black	performance	
537-03	2 5/8" 20 psi	silver	pro	
537-04	2 5/8" 30 psi	silver	pro	
Boost				
533-05	2" 30 psi (no vac)	black	street	
524-05	2" 30 psi (no vac)	silver	sports	
Vacuum				
530-10	2" 0-30 in Hg	black	plasma	

Part #	Description	Colour	Range	Notes
535-10	2 5/8" 0-30 in Hg	black	performance	
537-10	2 5/8" 0-30 in Hg	silver	pro	
Clocks				
523-02	2" 24 hr. Digital 12v	black	street	
533-25	2" Analog	black	street	Stepper Motor